

# Rooflock<sup>®</sup> Tape

High  
Performance  
Waterproofing  
Tape



# Rooflock<sup>®</sup> Tape

## High Performance Waterproofing Tape


Create longer lasting roof repairs with Rooflock Tape - a self-adhesive tape for roof waterproofing and repairs.

### Simple, Rapid Repairs for Roofs and Facilities Management

Rooflock Tape is an extremely high performance, all-purpose waterproofing tape that permanently bonds and seals to almost any surface with a minimum life expectancy in excess of 10 years.

Rooflock Tape rapidly seals leaks in roofing membranes, gutters and flashings. It is widely used in the roofing and maintenance industries as a very high performance, long term roof leak repair product, permanent sealant between dissimilar single ply membranes, as a gutter sealant, or even a general repair tape.

Featuring Microsealant<sup>®</sup> pressure-sensitive adhesive technology, Rooflock Tape is completely bitumen free. Rooflock<sup>®</sup> and Microsealant<sup>®</sup> are registered trade marks of Rooflock.



### Benefits

- ▶ Permanently bonds and seals to almost every construction material
- ▶ Rapidly creates long lasting roof repairs
- ▶ Completely bitumen free
- ▶ Over 10 years life expectancy - Long term economical solution
- ▶ Smart smooth finish to repaired area
- ▶ Even seals and repairs single ply roofing membranes - EPDM, TPO and aged PVC
- ▶ Clean and simple to use - Requires no specialist knowledge or trades
- ▶ Cold applied - No heat required for installation

### Substrates

- |             |           |                |                                 |
|-------------|-----------|----------------|---------------------------------|
| ▶ Aluminium | ▶ Asphalt | ▶ Copper       | ▶ Concrete                      |
| ▶ Glass     | ▶ Masonry | ▶ Fibre cement | ▶ Clay Tiles                    |
| ▶ Slate     | ▶ Lead    | ▶ Fibreglass   | ▶ Bitumen                       |
| ▶ Steel     | ▶ EPDM    | ▶ TPO          | ▶ Aged PVC single ply membranes |

# Rooflock<sup>®</sup> Tape

## High Performance Waterproofing Tape



### Rooflock 1000 Tape

Rooflock 1000 Tape is designed for making rapid, durable waterproofing repairs to almost any surface. It produces a superior seal that is UV stable, waterproof and airtight. Thickness: 1.5mm.

Product Code	Size	Box Qty
RL 1000 100 x 15 Grey	100mm x 15m	4
RL 1000 150 x 15 Grey	150mm x 15m	2
RL 1000 200 x 15 Grey	200mm x 15m	1
RL 1000 300 x 15 Grey	300mm x 15m	2

Colour: Grey RAL7000

NB: Rooflock Tape Primer must be used for all porous surfaces, including concrete, masonry, fibre cement, felt, asphalt and timber.



### Rooflock 1500 Tape

Rooflock 1500 Tape has a woven polyester carrier strip that makes it perfect for making repairs to an existing roof system prior to application of a liquid applied roof coating system. Thickness: 1.5mm.

Product Code	Size	Box Qty
RL 1500 100 x 15	100mm x 15m	4
RL 1500 150 x 15	150mm x 15m	2

Rooflock 1500 Tape must be coated with an approved UV stable liquid waterproofing system after installation.

NB: Rooflock Tape Primer must be used for all porous surfaces, including concrete, masonry, fibre cement, felt, asphalt and timber.



### Rooflock Tape Surface Cleaner & Primer

Rooflock Tape Cleaner must be used to clean the area prior to application. Rooflock Tape Primer must be used for all porous and dusty surfaces, including concrete, masonry, fibre cement, felt and asphalt.

Product Code	Size	Box Qty
RL TAPE SURFACE CLEANER	Spray 500ml	9
RL TAPE PRIMER	Spray 500ml	12

NB: Rooflock Tape Primer must be used for all surfaces.

# Contact Us

0161 956 2400  
sales@rooflock.com  
www.rooflock.com

